

# Overview


---

- Introduction to local features
- Harris interest points + SSD, ZNCC, SIFT
- **Scale & affine invariant interest point detectors**
- Evaluation and comparison of different detectors
- Region descriptors and their performance

# Scale invariance - motivation




---

- Description regions have to be adapted to scale changes



- Interest points have to be repeatable for scale changes

# Harris detector + scale changes



Repeatability rate

$$R(\varepsilon) = \frac{|\{(\mathbf{a}_i, \mathbf{b}_i) \mid \text{dist}(H(\mathbf{a}_i), \mathbf{b}_i) < \varepsilon\}|}{\max(|\mathbf{a}_i|, |\mathbf{b}_i|)}$$

# Scale adaptation

---

Scale change between two images

$$I_1\left(\begin{matrix} x_1 \\ y_1 \end{matrix}\right) = I_2\left(\begin{matrix} x_2 \\ y_2 \end{matrix}\right) = I_2\left(\begin{matrix} sx_1 \\ sy_1 \end{matrix}\right)$$

Scale adapted derivative calculation

# Scale adaptation

---

Scale change between two images

$$I_1 \begin{pmatrix} x_1 \\ y_1 \end{pmatrix} = I_2 \begin{pmatrix} x_2 \\ y_2 \end{pmatrix} = I_2 \begin{pmatrix} sx_1 \\ sy_1 \end{pmatrix}$$

Scale adapted derivative calculation

$$I_1 \begin{pmatrix} x_1 \\ y_1 \end{pmatrix} \otimes G_{i_1 \dots i_n}(\sigma) = s^m I_2 \begin{pmatrix} x_2 \\ y_2 \end{pmatrix} \otimes G_{i_1 \dots i_n}(s\sigma)$$

# Scale adaptation

---

$$G(\tilde{\sigma}) \otimes \begin{bmatrix} L_x^2(\sigma) & L_x L_y(\sigma) \\ L_x L_y(\sigma) & L_y^2(\sigma) \end{bmatrix}$$

where  $L_i(\sigma)$  are the derivatives with Gaussian convolution

# Scale adaptation

---




$$G(\tilde{\sigma}) \otimes \begin{bmatrix} L_x^2(\sigma) & L_x L_y(\sigma) \\ L_x L_y(\sigma) & L_y^2(\sigma) \end{bmatrix}$$

where  $L_i(\sigma)$  are the derivatives with Gaussian convolution

## Scale adapted auto-correlation matrix

$$s^2 G(s\tilde{\sigma}) \otimes \begin{bmatrix} L_x^2(s\sigma) & L_x L_y(s\sigma) \\ L_x L_y(s\sigma) & L_y^2(s\sigma) \end{bmatrix}$$



# Harris detector – adaptation to scale






# Multi-scale matching algorithm


---



$s = 1$






$s = 3$



$s = 5$

# Multi-scale matching algorithm

---




$s = 1$   
8 matches

# Multi-scale matching algorithm

---

Robust estimation of a global affine transformation





$s = 1$


3 matches

# Multi-scale matching algorithm

---



$s = 1$   
3 matches




$s = 3$   
4 matches

# Multi-scale matching algorithm


---




highest number of matches  
correct scale



$s = 1$   
3 matches



$s = 3$   
4 matches



$s = 5$   
16 matches

# Matching results



---



Scale change of 5.7

# Matching results


---



100% correct matches (13 matches)

# Scale selection

- We want to find the characteristic scale of the blob by convolving it with Laplacians at several scales and looking for the maximum response
- However, Laplacian response decays as scale increases:




Why does this happen?



# Scale normalization

---

- The response of a derivative of Gaussian filter to a perfect step edge decreases as  $\sigma$  increases




# Scale normalization

---

- The response of a derivative of Gaussian filter to a perfect step edge decreases as  $\sigma$  increases
- To keep response the same (scale-invariant), must multiply Gaussian derivative by  $\sigma$
- Laplacian is the second Gaussian derivative, so it must be multiplied by  $\sigma^2$



# Effect of scale normalization



# Blob detection in 2D

---

- Laplacian of Gaussian: Circularly symmetric operator for blob detection in 2D





$$\nabla^2 g = \frac{\partial^2 g}{\partial x^2} + \frac{\partial^2 g}{\partial y^2}$$

# Blob detection in 2D

---

- Laplacian of Gaussian: Circularly symmetric operator for blob detection in 2D




Scale-normalized: 
$$\nabla_{\text{norm}}^2 g = \sigma^2 \left( \frac{\partial^2 g}{\partial x^2} + \frac{\partial^2 g}{\partial y^2} \right)$$

# Scale selection


---

- The 2D Laplacian is given by  $(x^2 + y^2 - 2\sigma^2) e^{-(x^2 + y^2)/2\sigma^2}$  (up to scale)

- For a binary circle of radius  $r$ , the Laplacian achieves a maximum at




image



# Characteristic scale

---

- We define the characteristic scale as the scale that produces peak of Laplacian response




characteristic scale

T. Lindeberg (1998). Feature detection with automatic scale selection.  
*International Journal of Computer Vision* **30** (2): pp 77--116.

# Scale selection

---

- For a point compute a value (gradient, Laplacian etc.) at several scales
- Normalization of the values with the scale factor  
e.g. Laplacian  $|s^2(L_{xx} + L_{yy})|$
- Select scale  $s^*$  at the maximum  $\rightarrow$  characteristic scale





- Exp. results show that the Laplacian gives best results



# Scale selection

---




- Scale invariance of the characteristic scale



# Scale selection

---

- Scale invariance of the characteristic scale




- Relation between characteristic scales  $s \cdot s_1^* = s_2^*$


# Scale-invariant detectors

---

- Harris-Laplace (Mikolajczyk & Schmid'01)
- Laplacian detector (Lindeberg'98)
- Difference of Gaussian (Lowe'99)



Harris-Laplace





Laplacian



# Harris-Laplace

---

multi-scale Harris points





selection of points at  
maximum of Laplacian



➡ invariant points + associated regions [Mikolajczyk & Schmid'01]

# Matching results

---



213 / 190 detected interest points

# Matching results

---



58 points are initially matched

# Matching results


---



32 points are matched after verification – all correct


# LOG detector

Convolve image with scale-normalized Laplacian at several scales



$$LOG = s^2 (G_{xx}(\sigma) + G_{yy}(\sigma))$$

Detection of maxima and minima of Laplacian in scale space





# Hessian detector

---

Hessian matrix  $H(x) = \begin{bmatrix} L_{xx} & L_{xy} \\ L_{xy} & L_{yy} \end{bmatrix}$


Determinant of Hessian matrix  $DET = L_{xx}L_{yy} - L_{xy}^2$

Penalizes/eliminates long structures


➤ with small derivative in a single direction

# Efficient implementation

- Difference of Gaussian (DOG) approximates the Laplacian  $DOG = G(k\sigma) - G(\sigma)$




- Error due to the approximation



# DOG detector

- Fast computation, scale space processed one octave at a time



David G. Lowe. "Distinctive image features from scale-invariant keypoints." *IJCV* 60 (2).

# Local features - overview

---


- Scale invariant interest points
- ***Affine invariant interest points***
- Evaluation of interest points
- Descriptors and their evaluation

# Affine invariant regions - Motivation

---

- Scale invariance is not sufficient for large baseline changes


detected scale invariant region



projected regions, viewpoint changes can locally be approximated by an affine transformation  $A$

# Affine invariant regions - Motivation

---



# Affine invariant regions - Example

---



# Harris/Hessian/Laplacian-Affine

---

- Initialize with scale-invariant Harris/Hessian/Laplacian points
- Estimation of the affine neighbourhood with the second moment matrix [Lindeberg'94]
- Apply affine neighbourhood estimation to the scale-invariant interest points [Mikolajczyk & Schmid'02, Schaffalitzky & Zisserman'02]
- Excellent results in a comparison [Mikolajczyk et al.'05]




# Affine invariant regions

---

- Based on the second moment matrix (Lindeberg'94)


$$M = \mu(\mathbf{x}, \sigma_I, \sigma_D) = \sigma_D^2 G(\sigma_I) \otimes \begin{bmatrix} L_x^2(\mathbf{x}, \sigma_D) & L_x L_y(\mathbf{x}, \sigma_D) \\ L_x L_y(\mathbf{x}, \sigma_D) & L_y^2(\mathbf{x}, \sigma_D) \end{bmatrix}$$

- Normalization with eigenvalues/eigenvectors




$$\mathbf{x}' = M^{\frac{1}{2}} \mathbf{x}$$

→



# Affine invariant regions

---




Isotropic neighborhoods related by image rotation

# Affine invariant regions - Estimation

---



- Iterative estimation – initial points



# Affine invariant regions - Estimation

---


- Iterative estimation – iteration #1



# Affine invariant regions - Estimation

---

- Iterative estimation – iteration #2



# Affine invariant regions - Estimation



---

- Iterative estimation – iteration #3, #4





# Harris-Affine versus Harris-Laplace

---





Harris-Affine





Harris-Laplace

# Harris/Hessian-Affine

---



Harris-Affine




Hessian-Affine




# Harris-Affine

---





# Hessian-Affine

---



# Matches

---



22 correct matches

# Matches

---



33 correct matches

## Maximally stable extremal regions (MSER) [Matas'02]



---

- Extremal regions: connected components in a thresholded image (all pixels above/below a threshold)
- Maximally stable: minimal change of the component (area) for a change of the threshold, i.e. region remains stable for a change of threshold
- Excellent results in a comparison [Mikolajczyk et al.'05]


# Maximally stable extremal regions (MSER)

---

## Examples of thresholded images





high threshold



low threshold

# MSER

---



# Overview

---

- Introduction to local features
- Harris interest points + SSD, ZNCC, SIFT
- Scale & affine invariant interest point detectors
- **Evaluation and comparison of different detectors**
- Region descriptors and their performance




# Evaluation of interest points

---

- Quantitative evaluation of interest point/region detectors
  - points / regions at the same relative location and area
- Repeatability rate : percentage of corresponding points
- Two points/regions are corresponding if
  - location error small
  - area intersection large
- [K. Mikolajczyk, T. Tuytelaars, C. Schmid, A. Zisserman, J. Matas, F. Schaffalitzky, T. Kadir & L. Van Gool '05]

# Evaluation criterion


---



$$\text{repeatability} = \frac{\# \text{corresponding regions}}{\# \text{detected regions}} \cdot 100\%$$


# Evaluation criterion

---




$$\text{repeatability} = \frac{\# \text{corresponding regions}}{\# \text{detected regions}} \cdot 100\%$$


$$\text{overlap error} = \left(1 - \frac{\text{intersection}}{\text{union}}\right) \cdot 100\%$$




2%




10%




20%



30%



40%



50%



60%

# Dataset

---


- Different types of transformation
  - Viewpoint change
  - Scale change
  - Image blur
  - JPEG compression
  - Light change
- Two scene types
  - Structured
  - Textured
- Transformations within the sequence (homographies)
  - Independent estimation

# Viewpoint change (0-60 degrees )

---



structured scene



textured scene

# Zoom + rotation (zoom of 1-4)

---



structured scene




textured scene

# Blur, compression, illumination

---



blur - structured scene



blur - textured scene




light change - structured scene



jpeg compression - structured scene

# Comparison of affine invariant detectors

## Viewpoint change - structured scene



reference image



20



40




60





# Comparison of affine invariant detectors

## Scale change



reference image



2.8



reference image



4



# Conclusion - detectors

---

- Good performance for large viewpoint and scale changes
- Results depend on transformation and scene type, no one best detector
- Detectors are complementary
  - MSER adapted to structured scenes
  - Harris and Hessian adapted to textured scenes
- Performance of the different scale invariant detectors is very similar (Harris-Laplace, Hessian, LoG and DOG)
- Scale-invariant detector sufficient up to 40 degrees of viewpoint change


# Overview

---

- Introduction to local features
- Harris interest points + SSD, ZNCC, SIFT
- Scale & affine invariant interest point detectors
- Evaluation and comparison of different detectors
- **Region descriptors and their performance**

# Region descriptors

---




- Normalized regions are
  - invariant to geometric transformations except rotation
  - not invariant to photometric transformations

# Descriptors

---

- Regions invariant to geometric transformations except rotation
  - rotation invariant descriptors
  - **normalization with dominant gradient direction**
  
- Regions not invariant to photometric transformations
  - invariance to affine photometric transformations
  - **normalization with mean and standard deviation of the image patch**

# Descriptors



# Descriptors


---

- Gaussian derivative-based descriptors
  - Differential invariants (*Koenderink and van Doorn'87*)
  - Steerable filters (*Freeman and Adelson'91*)
- SIFT (*Lowe'99*)
- Moment invariants [Van Gool et al.'96]
- Shape context [Belongie et al.'02]
- SIFT with PCA dimensionality reduction
- SURF descriptor [Bay et al.'08]
- DAISY descriptor [Tola et al.'08, Windler et al.'09]

# Comparison criterion

---



- Descriptors should be
  - Distinctive
  - Robust to changes on viewing conditions as well as to errors of the detector
- Detection rate (recall)
  - $\# \text{correct matches} / \# \text{correspondences}$
- False positive rate
  - $\# \text{false matches} / \# \text{all matches}$
- Variation of the distance threshold
  - $\text{distance } (d_1, d_2) < \text{threshold}$





[K. Mikolajczyk & C. Schmid, PAMI'05]



# Viewpoint change (60 degrees)



# Scale change (factor 2.8)



# Conclusion - descriptors

---

- SIFT based descriptors perform best
- Significant difference between SIFT and low dimension descriptors as well as cross-correlation
- Robust region descriptors better than point-wise descriptors
- Performance of the descriptor is relatively independent of the detector

# Available on the internet

---

<http://lear.inrialpes.fr/software>

- Binaries for detectors and descriptors
  - *Building blocks for recognition systems*
- Carefully designed test setup
  - Dataset with transformations
  - Evaluation code in matlab
  - *Benchmark for new detectors and descriptors*